



Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Thu, 1 Sep 2005, 2:15:44 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

[Run Search](#)[Reset](#)

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- | | |
|--------------------|---|
| #1 | ((regress*<near/2>cluster*)<in>metadata) |
| #2 | ((regress*<near/2>cluster*)<in>metadata) |
| #3 | (regress*<near/2>cluster*)<and> classif* |
| #4 | (regress*<near/2>cluster*)<and> classif* |
| #5 | ((regress*<near/2> cluster*) <and> classif*)<in>metadata) |
| #6 | ((regress*<near/2> cluster*) <and> (classif* <or> categor*))<in>metadata) |
| #7 | ((regress*<near/2> cluster*) <and> (classif* <or> categor*))<in>metadata) |
| #8 | ((regress*<near/2> cluster*) <and> (classif* <or> categor*))<in>metadata) |

[Clear Session History](#)

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2005 IEEE –

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	100	(cluster\$8 near2 (regression\$1 or regressive\$2)) and (categor\$6 or class or classes or classif\$9 or classed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 14:53
L4	482	(702/179).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 16:20
L5	348	(702/181).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 16:21
L6	82	I4 and cluster\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 16:21
L7	7	I4 and (cluster\$9 with regress\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 17:13
L8	0	I5 and (cluster\$9 with regress\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 16:21
L10	38	ZHANG-BIN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 17:13
L11	6	I10 and (cluster\$9 with regress\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 17:14
L12	57	(cluster\$9 with regress\$6) and (datapoint\$1 or dataset\$1 or (data adj (set\$1 or point\$1))).clm.	US-PGPUB	OR	OFF	2005/09/01 17:16
L13	28	(cluster\$9 with regress\$6) and (datapoint\$1 or dataset\$1 or (data adj (set\$1 or point\$1))) and (classif\$9 or categor\$8)).clm.	US-PGPUB	OR	OFF	2005/09/01 17:16

L14	9	((cluster\$9 with regress\$6) and (datapoint\$1 or dataset\$1 or (data adj (set\$1 or point\$1))) and (classif\$9 or categor\$8))).clm.	US-PGPUB	OR	OFF	2005/09/01 17:16
S1	121	(cluster\$5 near2 (regression\$1 or regressive))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 07:41
S3	100	(cluster\$5 near2 (regression\$1 or regressive)) and (categor\$6 or class or classes or classif\$9 or classed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 08:47
S4	100	(cluster\$8 near2 (regression\$1 or regressive)) and (categor\$6 or class or classes or classif\$9 or classed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 14:53
S5	188	((cluster\$8 with (regression\$1 or regressive)) same (categor\$6 or class or classes or classif\$9 or classed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 08:48
S6	19	((cluster\$8 near (regression\$1 or regressive)) same (categor\$6 or class or classes or classif\$9 or classed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 10:03
S7	36	((cluster\$8 near2 (regression\$1 or regressive)) same (categor\$6 or class or classes or classif\$9 or classed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 08:48
S8	25	((cluster\$8 near2 (regression\$1 or regressive)) same correlat\$6) and (categor\$6 or class or classes or classif\$9 or classed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 09:06
S9	86	((cluster\$8 with (regression\$1 or regressive)) same correlat\$6) and (categor\$6 or class or classes or classif\$9 or classed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 09:14
S10	127	((expectation near maximis\$6) or (k adj means) or (k adj harmonic\$1)) same (categor\$6 or class or classes or classif\$9 or classed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 10:04

S11	181	((expectation near maximi\$6) or (k adj means) or (k adj harmonic\$1)) same (categor\$6 or class or classes or classif\$9 or classed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 10:04
S12	181	((expectation adj maximi\$6) or (k adj means) or (k adj harmonic\$1)) same (categor\$6 or class or classes or classif\$9 or classed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 10:05
S13	743	((expectation adj maximi\$6) or (k adj means) or (k adj harmonic\$1) with cluster\$8)) and (categor\$6 or class or classes or classif\$9 or classed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 10:07
S14	741	((expectation adj maximi\$6) or (k adj means) or (k adj harmonic\$1) with (cluster\$8 near2 regressiv\$5))) and (categor\$6 or class or classes or classif\$9 or classed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 10:07
S15	1	((expectation adj maximi\$6) or (k adj means) or (k adj harmonic\$1)) with (cluster\$8 near2 regressiv\$5)) and (categor\$6 or class or classes or classif\$9 or classed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 10:08
S16	157	((expectation adj maximi\$6) or (k adj means) or (k adj harmonic\$1)) with cluster\$8) and (categor\$6 or class or classes or classif\$9 or classed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 10:10
S17	61	((expectation adj maximi\$6) or (k adj means) or (k adj harmonic\$1)) with cluster\$8) same (categor\$6 or class or classes or classif\$9 or classed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 10:09
S18	157	((expectation adj maximi\$6) or ("k" adj means) or ("k" adj harmonic\$1)) with cluster\$8) and (categor\$6 or class or classes or classif\$9 or classed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 10:11
S19	1076	((expectation adj maximi\$6) or (k-means) or ("k" adj means) or ("k" adj harmonic\$1)) with cluster\$8) and (categor\$6 or class or classes or classif\$9 or classed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 10:15
S20	436	((expectation adj maximi\$6) or k-means or k-means or k-harmonic) with cluster\$8) same (categor\$6 or class or classes or classif\$9 or classed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 10:20

S21	436	(((((expectation adj maximi\$6) or k-means or k-harmonic) with cluster\$8) same (categor\$6 or class or classes or classif\$9 or classed)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 10:21
S22	948	(((((expectation adj maximi\$6) or k-means or k-harmonic or hierarc\$6) with cluster\$8) same (categor\$6 or class or classes or classif\$9 or classed)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 10:29
S23	217	(((((expectation adj maximi\$6) or k-means or k-harmonic) with cluster\$8) with (categor\$6 or class or classes or classif\$9 or classed)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 10:22
S24	145	(((((expectation adj maximi\$6) or k-means or k-harmonic) with cluster\$8) with (categor\$6 or class or classes or classif\$9 or classed))) and (cluster\$9 with data\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 10:22
S25	157	(((((expectation adj maximi\$6) or k-means or k-harmonic or hierarc\$6) with cluster\$8) same (categor\$6 or class or classes or classif\$9 or classed) same (dataset\$1 or (data adj set\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 10:31
S27	322	((((expectation adj maximi\$6) or k-means or k-harmonic or hierarc\$6) with cluster\$8) and ((categor\$6 or class or classes or classif\$9 or classed) with (dataset\$1 or (data adj set\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 10:35
S28	72	(((((expectation adj maximi\$6) or k-means or k-harmonic or hierarc\$6) with cluster\$8) same ((categor\$6 or class or classes or classif\$9 or classed) with (dataset\$1 or (data adj set\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 10:51
S29	0	((((regression or regressive\$1) near algoritm\$1) with (dataset\$1 or (data adj set\$1)))) and (((k-means or (expectation adj maximi\$8)) with (dataset\$1 or (data adj set\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 10:55
S30	3	((((regression or regressive\$1) near algorithm\$1) with (dataset\$1 or (data adj set\$1)))) and (((k-means or (expectation adj maximi\$8)) with (dataset\$1 or (data adj set\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 10:56

S31	4	(((regression or regressive\$1) near algorithm\$1) with (dataset\$1 or (data adj set\$1))) and ((k-means or k-harmonic or (expectation adj maximi\$8)) with (dataset\$1 or (data adj set\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 10:57
S32	4	(((regression or regressive\$1) near algorithm\$1) with (dataset\$1 or (data adj set\$1))) and ((k-means or k-harmonic or hierarch\$6 or (expectation adj maximi\$8)) with (dataset\$1 or (data adj set\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 10:58